

PCT


WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁴ : E01H 1/08	A1	(11) International Publication Number: WO 89/ 08744 (43) International Publication Date: 21 September 1989 (21.09.89)
<p>(21) International Application Number: PCT/GB89/00295 (22) International Filing Date: 20 March 1989 (20.03.89) (31) Priority Application Number: 8806585 (32) Priority Date: 19 March 1988 (19.03.88) (33) Priority Country: GB</p> <p>(71)(72) Applicant and Inventor: BAILEY, Colin [GB/GB]; 18 Broadoak, Goose Lane, Horton, Nr. Ilminster, Somerset (GB).</p> <p>(74) Agent: AUSTIN, Hedley, William; Urquhart-Dykes & Lord, Alexandra House, Alexandra Road, Swansea, West Glamorgan (GB).</p> <p>(81) Designated States: AT (European patent), BE (Euro- pean patent), CH (European patent), DE (European patent), FR (European patent), GB (European pat- ent), IT (European patent), JP, LU (European pa- tent), NL (European patent), SE (European patent),</p>		<p>US.</p> <p>Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the</i> <i>claims and to be republished in the event of the receipt</i> <i>of amendments.</i></p>

(54) Title: REFUSE COLLECTOR



(57) Abstract

The refuse collector includes a receiver (17) for the refuse, a vacuum cleaner unit (15) for collecting the refuse and transmitting it to the receiver (17), and a source of refrigerant gas (26), to be directed onto the refuse so as at least partly to freeze it before it is collected and transmitted to the receiver (17).

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	ML	Mali
AU	Australia	GA	Gabon	MR	Mauritania
BB	Barbados	GB	United Kingdom	MW	Malawi
BE	Belgium	HU	Hungary	NL	Netherlands
BG	Bulgaria	IT	Italy	NO	Norway
BJ	Benin	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	LI	Liechtenstein	SN	Senegal
CH	Switzerland	LK	Sri Lanka	SU	Soviet Union
CM	Cameroon	LU	Luxembourg	TD	Chad
DE	Germany, Federal Republic of	MC	Monaco	TG	Togo
DK	Denmark	MG	Madagascar	US	United States of America
FI	Finland				

-1-

Refuse Collector

This invention relates to refuse collectors and is applicable particularly, but not exclusively, to a device for collecting dog excrement in a manner which is cleaner, healthier and less objectionable than currently used methods.

According to the invention there is provided a refuse collector, including a receiver for the refuse, means for collecting the refuse and transmitting it to the receiver, and a source of refrigerant gas, to be directed onto the refuse so as at least partly to freeze it before it is collected and transmitted to the receiver.

Preferably the means for collecting and transmitting the refuse comprises a vacuum cleaner unit and the source of refrigerant gas comprises a high pressure storage cylinder containing liquefied, or highly compressed, gas.

Conveniently, the refuse collector includes road wheels which may be power driven, for example, by storage batteries, which preferably also supply electrical power to the vacuum cleaner unit, or by an internal combustion engine, which can also generate and supply electrical power to the vacuum cleaner unit.

Preferred embodiments of the invention are described, by way of example only, with reference to the accompanying drawings which are side elevations of exemplary refuse collectors according to the invention.

Referring to Figure 1, a trolley 10 in the form of a platform or frame 11 runs on wheels 12 and has a rear wall 13 and handle 14.

-2-

The platform 11 has securely located thereon a vacuum cleaner unit 15 comprising an upright cylindrical body 16 in which a disposable refuse-receiving bag 17 is held, and a lid unit 18, fitting onto the location of the open end of the bag 17. The lid unit includes a transverse filter 19, through which air may freely pass but not particulate refuse, and a suction fan driven by an electric motor 20 and discharging through apertures in the lid unit 18.

The electric motor 20 of the vacuum cleaner unit 15 is powered by rechargeable electric batteries 21, mounted at the rear of the trolley 10. A large-bore suction pipe 22 has a rigid upper portion terminating within the vacuum cleaner body 16 in a downwardly discharging duct 23 over the bag 17. The rigid length of pipe 22 is connected by a flexible length 24 to a suction nozzle 25 which may be in the form of a scraper or blade, with which an operator can dislodge refuse from the ground, to be sucked by the vacuum cleaner unit 15, up the pipe 22 to fall into the bag 17 and be retained there until the bag 17 is later removed and destroyed. The flexible length of pipe 24 is clipped to the front of the trolley 10 with the nozzle 25 near to or bearing on the ground. Alternatively, it may be unclipped and manipulated as required by the operator to dislodge and, if necessary, break up quantities of refuse adherent to the ground.

Particularly for objectionable refuse, such as dog excrement, there is provided on the trolley 10 an upright high pressure cylinder 26 of innocuous compressed or liquefied gas or other suitable refrigerant. The gas is conducted by a pipe 27 (which is preferably insulated), clipped to the flexible pipe 24, to a discharge nozzle 28 discharging near to the suction nozzle 25.

Reference will now be made to Figure 2, in which like parts to those of Figure 1 are denoted by like reference numerals. In the embodiment of Figure 2, the electric motor

of the vacuum cleaner unit 15 is powered by an internal combustion engined generator 21a, mounted at the rear of the trolley 10, instead of batteries as described with reference to the embodiment of Figure 1. A large-bore suction pipe 22a having a flexible upper portion 24a and a rigid end portion 24b is employed instead of a rigid upper portion and flexible end portion as described with reference to Figure 1.

The gas is conducted by insulated pipe 27 to a spray shroud 30 (via a control box 31), the flow of gas being controlled by a switch 32 on a handle 33, and also by a pressure controlled switch 34 on the shroud, the latter switch to be firmly pressed on to the ground to release the gas.

The rigid end portion 24b may be connected to the shroud, or as in the illustrated embodiment, disconnected therefrom such that it can be manipulated as required by the operator to dislodge and, if necessary, break up quantities of refuse adherent to the ground.

The trolley 10 further comprises an enclosed casing 35 having a hinged lid 36, for securely housing the high pressure cylinder, the batteries 21 (or internal combustion engine 21a) and the vacuum unit 15.

In addition to powering the electric motor 20, the batteries 21 (Figure 1) or the internal combustion engine 21a (Figure 2) may drive two or more of the wheels 12. For this purpose, controls are preferably provided on the handle 14. In addition, or alternatively, controls for the drive to the wheels 12, for the gas discharge and/or for the motor 20 may be provided on or adjacent the vacuum pipe 24, on or adjacent to the handle 33 of the spray shroud 30, and/or incorporated in the body of the casing 31.

By freezing the refuse, particularly excrement, the latter may be detached from the ground and broken up, if necessary, and collected, without adhering to any of the apparatus (except the inside of the bag 17 when it thaws). Furthermore, freezing reduces obnoxious odours and tends to kill parasites and other organisms in the refuse.

CLAIMS:

1. A refuse collector comprising a receiver for the refuse, means for collecting the refuse and transmitting it to said receiver, and a source of refrigerant gas, to be directed onto the refuse so as at least partly to freeze said refuse before the latter is collected and transmitted to said receiver.
2. A refuse collector according to claim 1, wherein said means for collecting and transmitting the refuse comprises a vacuum pump unit.
3. A refuse collector according to claim 1 or 2, wherein said source of refrigerant gas includes a high pressure storage cylinder containing liquefied or highly compressed gas.
4. A refuse collector according to any of claims 1 to 3, which further includes road wheels.
5. A refuse collector according to claim 4, wherein said wheels are provided with power drive means
6. A refuse collector according to claim 5, wherein said power drive means comprises an electric motor.
7. A refuse collector according to claim 6, wherein said electric motor is driven by storage batteries or by a generator powered by an internal combustion engine.
8. A refuse collector according to claim 6 as appendant to claim 2, wherein said electric motor also supplies electrical power to said vacuum unit.
9. A refuse collector according to claim 1, substantially as described herein with reference to Figure 1 or Figure 2 of the accompanying drawings.





Fig. 2



INTERNATIONAL SEARCH REPORT

International Application No **PCT/GB 89/00295**

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) * According to International Patent Classification (IPC) or to both National Classification and IPC IPC⁴: E 01 H 1/08																										
II. FIELDS SEARCHED <div style="text-align: center;">Minimum Documentation Searched ⁷</div> <table style="width: 100%; border: none;"> <tr> <td style="width: 30%; border-bottom: 1px solid black; padding: 2px;">Classification System</td> <td style="border-bottom: 1px solid black; padding: 2px;">Classification Symbols</td> </tr> <tr> <td style="padding: 5px;">IPC⁴</td> <td style="padding: 5px;">E 01 H</td> </tr> </table> <div style="text-align: center; padding: 5px;">Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched *</div>			Classification System	Classification Symbols	IPC⁴	E 01 H																				
Classification System	Classification Symbols																									
IPC⁴	E 01 H																									
III. DOCUMENTS CONSIDERED TO BE RELEVANT⁸ <table style="width: 100%; border: none;"> <tr> <th style="width: 10%; border-bottom: 1px solid black; padding: 2px;">Category *</th> <th style="width: 70%; border-bottom: 1px solid black; padding: 2px;">Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²</th> <th style="width: 20%; border-bottom: 1px solid black; padding: 2px;">Relevant to Claim No. ¹³</th> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">Y</td> <td style="padding: 5px;">DE, A, 3238062 (HOFFMANN) 19 April 1984, see the whole document --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-7,9</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">Y</td> <td style="padding: 5px;">FR, A, 2597130 (TROTTOIRNET) 16 October 1987, see the whole document</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-7,9</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="text-align: center; vertical-align: top; padding: 5px;">--</td> <td style="text-align: center; vertical-align: top; padding: 5px;">8</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">Y</td> <td style="padding: 5px;">DE, A, 3606468 (BAUER) 3 September 1987, see the whole document --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-5,9</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">Y</td> <td style="padding: 5px;">EP, A, 0107602 (GROUPE SERVICES FR) 2 May 1984, see the whole document --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-5,9</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">Y</td> <td style="padding: 5px;">FR, A, 2533466 (L'AIR LIQUIDE) 30 March 1984, see the whole document --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-3,9</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">Y</td> <td style="padding: 5px;">FR, A, 2554841 (M. LE MAIRE DE GRENOBLE) 17 May 1985, see the whole document ----</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-3,9</td> </tr> </table>			Category *	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³	Y	DE, A, 3238062 (HOFFMANN) 19 April 1984, see the whole document --	1-7,9	Y	FR, A, 2597130 (TROTTOIRNET) 16 October 1987, see the whole document	1-7,9	A	--	8	Y	DE, A, 3606468 (BAUER) 3 September 1987, see the whole document --	1-5,9	Y	EP, A, 0107602 (GROUPE SERVICES FR) 2 May 1984, see the whole document --	1-5,9	Y	FR, A, 2533466 (L'AIR LIQUIDE) 30 March 1984, see the whole document --	1-3,9	Y	FR, A, 2554841 (M. LE MAIRE DE GRENOBLE) 17 May 1985, see the whole document ----	1-3,9
Category *	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³																								
Y	DE, A, 3238062 (HOFFMANN) 19 April 1984, see the whole document --	1-7,9																								
Y	FR, A, 2597130 (TROTTOIRNET) 16 October 1987, see the whole document	1-7,9																								
A	--	8																								
Y	DE, A, 3606468 (BAUER) 3 September 1987, see the whole document --	1-5,9																								
Y	EP, A, 0107602 (GROUPE SERVICES FR) 2 May 1984, see the whole document --	1-5,9																								
Y	FR, A, 2533466 (L'AIR LIQUIDE) 30 March 1984, see the whole document --	1-3,9																								
Y	FR, A, 2554841 (M. LE MAIRE DE GRENOBLE) 17 May 1985, see the whole document ----	1-3,9																								
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>* Special categories of cited documents: ¹⁰</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"d" document member of the same patent family</p> </div> </div>																										
IV. CERTIFICATION <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border-bottom: 1px solid black; padding: 2px;">Date of the Actual Completion of the International Search</td> <td style="width: 50%; border-bottom: 1px solid black; padding: 2px;">Date of Mailing of this International Search Report</td> </tr> <tr> <td style="text-align: center; padding: 5px;">22nd June 1989</td> <td style="text-align: center; padding: 5px;">18. 07. 89</td> </tr> <tr> <td style="border-bottom: 1px solid black; padding: 2px;">International Searching Authority</td> <td style="border-bottom: 1px solid black; padding: 2px;">Signature of Authorized Officer</td> </tr> <tr> <td style="text-align: center; padding: 5px;">EUROPEAN PATENT OFFICE</td> <td style="text-align: center; padding: 5px;"> P.C.G. VAN DER PUTTEN </td> </tr> </table>			Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report	22nd June 1989	18. 07. 89	International Searching Authority	Signature of Authorized Officer	EUROPEAN PATENT OFFICE	 P.C.G. VAN DER PUTTEN																
Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report																									
22nd June 1989	18. 07. 89																									
International Searching Authority	Signature of Authorized Officer																									
EUROPEAN PATENT OFFICE	 P.C.G. VAN DER PUTTEN																									

**ANNEX TO THE INTERNATIONAL SEARCH REPORT
ON INTERNATIONAL PATENT APPLICATION NO.**

GB 8900295
SA 27766

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 07/07/89. The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DE-A- 3238062	19-04-84	None	
FR-A- 2597130	16-10-87	EP-A- 0310727	12-04-89
DE-A- 3606468	03-09-87	None	
EP-A- 0107602	02-05-84	FR-A, B 2534291	13-04-84
		BE-A- 897799	21-03-84
		CA-A- 1237257	31-05-88
		CH-B- 655337	15-04-86
		LU-A- 85015	24-04-84
FR-A- 2533466	30-03-84	None	
FR-A- 2554841	17-05-85	None	